Dated 16th January 1951.

To

The firms dealing in Chemicals and Apparatus.

Enquiry No. 10282.

Subject :—Chemicals and Apparatus for use in the Office of the Bacteriologist, Public Health Institute.

Gentlemen,

No. S.P.C. 47351-376. Please be good enough to intimate your best prices and earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a pentaly of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Chemicals and Apparatus for use in the Office of the Bacteriologist, Public Health Institute" with the above enquiry number.

This enquiry will be closed on the 31st January 1951.

SCHEDULE.

		F.O.R. Bangalore Quantity
1	Agar Agar Shreeds. Arthur Thomson ...	15 lbs.
2	Agar Agar powder (Difco) ...	15 lbs.
3	Peptone (Difco)	10 lbs.
4	Sodium chloride BP. May & Baker ...	50 lbs.
5	Whatman Filter paper sheets 18½×22½ ...	500×2
6	Bromthymol Blue (B.D.H. Indictors) ...	100 cc×3
7	Test tubes, best quality, pyrex brand ...	
	6" × ¾" ...	6 gross
	5" × 5 5/8" ...	10 gross
	6" × 5 5/8" ...	5 gross
	6" × ¾" ...	10 gross
8	Durham tubes (small size) 1×3/10 ...	10 gross
9	Glass tubes, soft best English quality or American int. dia. 6 mm. 5 mm. ...	10 lbs. 10 lbs.
10	Petri dishes (pyrex) bottom plate dia. 4 inches.	288 pairs
11	Ten 10cc pipettes-pyrex-kimble (marking 1/10cc).	24
12	1 cc pipettes (serological) marking 1/100cc best. English quantity.	24
13	Rubber tubings (int. dia ¼" A.H.T. qty.)	20 yards
	Do (int. dia. 1" ")	5 yards
14	Narrow mouth glass bottles with dust proof stoppers, 200cc capacity.	50
15	Chromel wire B & S gauge—24, No. 7485 (AHT).	2 ft.×2
16	Do do gauge—22 ...	2 ft.×2
17	Glass Funnel (2½")	6
18	Measuring cylinders—100 cc	6
	50 cc	3
	10 cc	3
19	B.D. Yale Luer Lok Syringe—No. 10 ...	
	Y 1 (bectin Dickinson) 10 cc ...	6
	Y 1. 20 ,, 20 cc ...	6
	,, 50 cc ...	2
	,, 5 cc ...	3
20	Needles for the above regular point yale B.D. Lock Needles No. L.N.R.	
	1. 24 Gauge length 1" ...	2 doz.
	2. 22 ,, 1½" ...	1 doz.×3
	9. 22 ,, 1¼" ...	1 doz ×3
	4. 20 ,, 1½" ...	1 doz ×3
	5. 20 ,, 1¼" ...	1 doz.×3
	6. 23 ,, 1" ...	1 doz.
21	Roux cultural neck, ground top bottles pyrex brand cap, 1000 cc.	72×2
22	Difco Bact MacConkey Agar dehydrate ...	1 lb.×2
23	Difco Bact Bile (Dehydrate)	100 gms.
24	Plainum wire (0·5 mm. thickness) ...	2 ft. in length
25	Micro cover glasses (non-corrosive) circles 22 mm. No. 7022 AHT No. 2.	½ oz.×4
26	Micro cover glasses non-corrosive 22 mm. No. 2.	½ oz.×6
27	Finest English microscopic cover glasses No 2. ¾" sq.	½ oz.×6
28	Petri dishes pyrex plex dia. 12 inches ...	12 pairs only
29	Incubators. Anhydric, Electrically heated and controlled with double doors, with inside glass, with two shelves. Precision control (plus or minus) 10 60 cycles and 220 volts.	2
30	Hot Air Oven, Electrically heated, outside width, outside depth, outside height, 38", 21", 35" respectively. Temparature Range 120° C to 180° C Controlled by 3 heat snap switch, two swing doors with Automatic Thermostatic control valve with two shelves and with Asbestos 220-230 volts, A C. 60 cycles.	Quantity Catalogue : Fisher Scientific company, page 835 14-498, size No. 3
31	Steam Sterilizer: size No. C 20"×16"×16" Baird Patlock & Co., Automatic Condensing Pattern of Copper, square form for heating Electrically on Iron stand.	W.T.A. 5581

N.B.—1. The firm prices will be preferred.
2. Sales-tax should be shown separately.

8167

Dated 16th January 1951.

To

The Firms dealing in Apparatus.

Enquiry No. 10283.

Subject :—Apparatus for use in the Vaccine Institute.

Dear Sir/Gentlemen,

No. S.P.C. 47377-402. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Apparatus for use in the Vaccine Institute" with the above enquiry number.

This enquiry will be closed on the 6th February 1951.

SCHEDULE.

1	Hair Clipper (Electric)	One only
2	Spare blade for the above	1 Dozen
3	Platinum wire Irridium needles	6 only
4	Brushes for cleaning bottles	6 Dozens
5	Knives for cutting glass tubes	2 only
6	Rubber corks with holes	2 Lbs.
7	(Hand) Hair clippers	3 only
8	Electric Stoves	2 only
9	Waring Blender	1 only
10	Auto clave washers...	12 only
11	Cardboard boxes	10,000 Boxes
12	Scissors (Surgical)	6 only
13	Forceps	1 Doz.
14	India Rubber Tests	1 gross
15	Mouse Forceps 8" long	3 only
16	Tape measure	3 only
17	Spatula	6 only
18	Filter paper	200 sheets
19	Graduated measure of length	2 only
20	Egg Incubator	1 only
21	Bacteriological Incubator	1 only

8226a

Dated 17th January 1951.

NOTICE.

ENQUIRY NO. 10258.

No. S.P.C. 49234. Sealed tenders will be received up to 5th February 1951 by the Secretary; Stores Purchase Committee, for the supply of Non-ferrous Strips, etc., required for the Government Electric Factory, Bangalore during the year 1950-51.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the detailed enquiry schedule.

8195

Dated 17th January 1951.

To

The Firms dealing in Hand Crab Winch.

Enquiry No. 10295.

Subject :—Hand Crab Winch for Wood Preservation Plant.

Dear Sir/Gentlemen,

No. S.P.C. 48351-376. Please be good enough to intimate your best prices and the earliest time of delivery for the

materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Hand Crab Winch for Wood Preservation Plant" with the above enquiry number.

This enquiry will be closed on the 5th February 1951.

SCHEDULE

Item No.	Description of material offered	Quantity	Price quoted F. O. R. Bhadravathi.	Time of delivery
1	Hand Crab Winch, barrel dia. 6" to 8" lifting capacity 120 to 160 Cwts. Double pad lock complete with Brake Drum and efficient Brake.	One	...	...

N. B.—1. Quotations with firm prices are preferred.
2. Sales-Tax should be quoted separately.

8276a

Dated 18th January 1951.

To

The Firms dealing in Electrical material.

Enquiry No. 10276—*E.D.* 1150.

Subject :—In-door and Out-door type Pot Heads required for use with 1·25 sq. inch 6·6 kv. cable and 500,000 C.M. 8·6 kv. cables.

Gentlemen,

No. S.P.C. 47205-250. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for In-door and Out-door type Pot Heads for use with 1·25 sq. inch 6·6 kv. cable and 500,000 C.M. 8·6 kv. cables" with the above enquiry number.

The enquiry will be closed on the 19th February 1951.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F.O.R.	Time of delivery
1	Out-door type pot heads, complete with clamping ring, stuffing box, Jointing materials, etc., for use with 6·6 kv. Grade sinlge Core 1·25 sq. inch PILC cables ungrounded circuits ...	23 Nos.	Bangalore	.....
2	In-door type cable do ...	26 ,,	,,	.....
3	Three Phase, pot heads for 8·6 kv. Class 500,000 C.M. Cables do ...	8 ,,	,,	.....

N. B.—1. Quotations with firm prices will be preferred.
2. The time of delivery should be specified.
3. The quotations will be opened at 12 NOON on the next working day after the closing date.

8307

Dated 18th January 1951.

To

The Firms dealing in Electrical Machinery.

Enquiry No. 10280.

Subject.—Electric Drill and Electric Grinder.

Gentlemen,

No. S. P. C. 47299-359. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electric Drill and Electric Grinders" with the above enquiry number.

This enquiry will be closed on the 16th February 1951.

SCHEDULE.

		F.O.R. Tumkur immediately.
1	ELECTRIC DRILL.— Breast drill—Maximum diameter of the drill bit is 5/8" to run on 220/230 V. A.C. Mains of 25 and 50 cycles with 50' of cord wire.	One
2	ELECTRIC GRINDING MACHINE.— Grinding wheel of 4" dia. and thickness of 1" to run on 220/230 V, A.C. Mains of 25 cycles, length of shaft 15 feet to 20 feet.	One

Note :—(1) Quotations with firm prices and for supply from ready stocks are preferred.
(2) Sales Tax, if any should be quoted separately.
(3) Descriptive literatures should accompany the quotation.
(4) Quotations will be opened at 12 NOON on the next working day after the due date.

8275B

Dated 18th January 1951.

To

The Firms dealing in Electric Materials.

Enquiry No. 10290.

Subject :—Electric materials for use in the Occupational Institute, Davangere.

Gentlemen,

No. S.P.C. 48019-8039. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electric materials for use in the Occupational Institute, Davangere" with the above enquiry number.

This enquiry will be closed on the 8th February 1951.

SCHEDULE.

1	(a) Supplying and wiring the mains in 1" G.I. conduit pipe.	30	feet
	(b) Bends	4	,,
	(c) Collars	4	,,
2	Brazed conduit pipe, hard drawn for wall crossing	20	,,
3	Iron clad switch for mains S.P.D.T. 300 V. to 30 amps. M.E.M.	1	
4	Iron clad switches, S.P.D.T. 220 volts. 15 amps. M.E.M.	4	
5	Single pole switches, 5 amps. P.B.B.C. English ...	12	
6	Combined wall plug switch 5 amps. with pins, English make (Surface type).	6	
7	Henley's lead wire twin core flat with E.C.C. two untaped cores, one red and one black laid side by side 1/.064.	550	Feet
8	Henley's lead wire 3 core with flat 3 untaped cores one red, one black, one white laid side by side 1/.064.	250	,,
9	V I.R. wire 7/18 for mains (7/.064) ...	150	,,
10	Silk cord or plastic wire 250 V 300 V ...	150	,,
11	Lead wiring clips 2"	3	gross
12	Do 1½"	5	gross
13	Lead wiring connectors (Porcelain) one way ...	3	doz.
14	Do do two way ...	3	,,
15	Do do three way ...	3	,,
16	Lead wiring junction boxes Alluminium, square type two way	2	,,
	Do do three way	2	,,
	Do do four way	2	,,

17	Acme tape	2	Rolls
18	Main Meter Board 15″×12″ rectangle shape covered alround with 8″ plank.	1	
19	Round blocks, teak wood 3″ diameter ...	40	
20	Teak wood wall plugs 2½″ length 1½″ top square 1″ bottom.	1,000	
21	Teak wood batten breadth 1″ and thickness ½″ suitable 2 way L.C. cable.	550	feet
22	Do 1½″ breadth and ½″ thickness suitable 3 way flat L C. cable.	250	,,
23	T.W. 5/8″ bushings ...	100	,,
24	T.W. switch blocks for mounting iron clad switches 10″×10″×2″ size.	4	
25	Screws, flat head 1½″ size	3	Gross
26	Do 1″ ,, ...	4	,,
27	Do ¾″ ,, ...	4	,,
28	Do 5/8″ ,, ...	3	,,
29	Do 3/8″ ,, ...	3	,,
30	Do ½″ ,, ...	3	,,
31	Rigid pendent fittings complete with support conduit 5/8″ ceiling plates holders P.B.B.C 5/8″ with opal glass dome, 8″ diameter.	36	fittings
32	Water tight fittings, complete with conduit, C.I. hood, rubber linings glass cover, nipple and holder P.B.B.C. 5/8″ to take in 60 to 100 watts lamps.	2	,,
33	Bulk head fittings complete with C.I. hood, front glass shade rubber lining nipple and holder P B.B.C. 5/8″ to take in 50 to 100 watt lamp with back plate.	6	,,

N.B.—1. Quotations with firm prices are preferred.
2. Sales tax should be quoted separately.
3. Quotations will be opened at 12 NOON on the working day after the closing date.

8287

Dated 18th January 1951.

To

The Firms dealing in Sulphate of Alumina.

Enquiry No. 10292.

Sulphate Alumina required for purification.

No. S.P.C. 48297-308. Please be good enough to intimate your best present-day prices for the materials described below :—

Nine tons of sulphate of alumina strictly conforming to the following specifications:—

"The basis sulphate of alumina shall be free from arsenic and other poisonous metals and suitable for use in connection with a potable water supply, and guaranteed to contain 17 per cent of alumina soluble in water, and of this amount at least 5 per cent shall be in excess of the amount theoretically required to combine with the sulphuric acid present. It shall not contain more than 0.1 per cent of matter insoluble in water, and it shall be practically free from lumps and debris of all kinds. It shall not contain more than 0 5 per cent of iron (F. 203) and the iron shall be preferably in the ferrous state.

Regarding size, the specification is as follows :—

"Small lumps sulphate of alumina shall be free from all chips string piece of sacking, etc., and shall be of such a size that 100 per cent shall pass a sieve having 4 meshes per kincar inch and 96 per cent shall remain on No. 10 mesh and shall be practically free of all powder. The material shall be packed in strong, new double gunny bags or in barrels.

The matter should be delivered at the stations named, carefully packed and insured against all risks including losses during transit up to destination stations. In the event of the material being found short or defective on arrival, the contractors shall be required to make good the losses or to replace the defective meterial by the correct ones without extra charge.

Samples of materials proposed for supply should accompany the tender. The full name and address of the manufacturers should be clearly specified. The Stores Purchase Committee will also reserve the right to arrange, if necessary, for check tests on samples taken from the supplies. The cost of such check tests, *viz.*, Rs. 25 per test should be borne by the contractors. Tenders not satisfying these conditions shall not be considered.

In the event of failure to execute the contract satisfactorily and in time, the Stores Purchase Committee will be at liberty to cancel the contract and to make purchases from other sources, the extra cost, if any, incurred thereby being debited to the defaulting contractors. The Committee further reserve the right to levy from the defaulting contractors a penalty of 3 per cent of the contract price as and by way of liquidated damages either for delay or unsatisfactory supplies.

In case of dispute as regards the proper performance of the contract, the decision of the Stores Purchase Committee should be final.

Tenders should be submitted in sealed covers bearing the superscription "Tender for supply of Sulphate of Alumina" and addressed to the Secretary, Stores Purchase Committee, Bangalore City, not later than 5th February 1951.

8276

Dated 19th January 1951.

To

The Firms dealing in Chemicals.

Enquiry No. 10284.

Subject :—Chemicals for use in the Vaccine Institute.

Gentlemen,

No. S.P.C. 47403-428. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Chemicals for use in the Vaccine Institute" with the above enquiry number.

This enquiry will be closed on the 6th February 1951.

SCHEDULE.

Item No.	Description of material offered	Quantity		Price quoted F.O.R. Bangalore	Time of delivery
1	Chemically pure Glycerine Chemically pure Bidistilled Sp. Gr. 1·26.	2	cwts.	...	.....
2	Sulphuric Acid	10	Lbs.	...	.....
3	Potasium Bichromate Pure Crystals ...	10	,,	...	.....
4	Copper Sulphate	10	,,	...	.....
5	Potasium Permenganate Pure Crystals	10	,,	...	.....
6	Sodium chloride Chemically pure Crystals (A.R)	20	,,	...	.....
7	Paraffin wax (Match Melting point wax) 40—42° c.	100	,,	...	.....
8	Acetone. Chemically pure ...	50	,,	...	.....
9	Soda Citrate do	10	,,	...	.....
10	Soda Bicarbonate Acalytically pure ...	10	,,	...	.....
11	Chloroform B.P. Anesthetic ...	50	,,	...	.....

N.B.—1. Quotations with firm prices are preferred.
2. Sales-tax should be quoted separately.
3. The quotations will be opened at 12 NOON on the next working day, after the closing date.

8307

Dated 9th January 1951.

To

The Firms dealing in Scientific and Surveying Instruments.

Enquiry No. 10296

Subject :—Equipment for the Civil Draughtmanship and Estimating course of the Occupational Institute, Hassan.

GENTLEMEN,

No. S.P.C. 48377-392. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee

reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Equipment for the Civil Draughtmanship and Estimating course of the Occupational Institute, Hassan" with the above enquiry number.

This enquiry will be closed on the 28th February 1951.

SCHEDULE

Sl. No.	Description of Articles.	Quantity required
1	100 feet chains with arros ...	Six
2	Steel band ...	Two
3	Metallic tapes (50') ...	Six
4	Metallic tapes (100') ...	Ten
5	Steel tapes (100') ...	Two
6	Ranging rods or poles ...	Twelve
7	Cross staff ...	Two
8	Optical squares ...	Four
9	Box setant ...	Two
10	Transit the odilite 6" diameter to read to 10 sec with stand etc., complete.	Two
11	Trough compass ...	Two
12	Prismatic compass with stand...	Four
13	Surveyor's compass ...	Two
14	Dumpy level ...	Four
15	Wye level ...	Two
16	Cusing level ...	Two
17	Zeiss level ...	Two
18	Clinometers (Abney) ...	Two
19	Spring balance ...	Two
20	Mavitta Drafting tables with stand etc, complete.	Two
21	Blue printing machine ...	One
22	Tracing table ...	One
23	Plane table with alidace, stand, trough compass, plumbing line, sprit level etc., complete.	Six sets
24	Telescopic alidades for plane table ...	Two
25	Planimeter (Amsler's polar) ...	Four
26	Direct reading tacheometer ...	One
27	Stadia rod ...	One
28	Mathematical instrument boxes ...	Two
29	Boxwood plotting scales ...	Two sets
30	Brass parallel rulers ...	Two
31	Imperial size drawing boards with T. squares ...	Four
32	Double elephant size boards with T. squares ...	Four
33	Set squares big size ...	Two sets

N.B.—1. Quotations with firm prices are preferred.
2. Sales-tax should be quoted peparately
3. Quotations will be opened at 12 NOON on the next working day after the closing date.

8306a

Dated 20th January 1951.

To

The Firms dealing in Glassware.

Enquiry No. 10277.

Subject :— Glassware for use in the Vaccine Institute.

Gentlemen,

No. S.P.C. 47251-266. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the following schedule in the form printed below :—

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions.—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Glassware for use in the Vaccine Institute", with the above enquiry number.

This enquiry will be closed on the 8th February 1951.

SCHEDULE.

1	Dust proof bottles. Narrow mouth 4 oz. capacity clear glass to withstand repeated autoclaving.	1 gross
2	Test tubes, for cultural work, hard glass to withstand repeated sterilization 6" × ¾".	6 ,,
3	Petri dishes. Resistant glass to withstand repeated sterilizing as per B. T. L. cat. page 332-2425-Diameter of bottom dish 3¾".	1 ,,
4	Bell Jar. 18" height 10" internal diameter ...	3
5	Flasks. 5 Liters capacity flat bottom, resistant glass to withstand repeated sterilization.	3
	1 Liter capacity do do ...	3
	½ Do do do ...	3
	¼ Do do do ...	6
6	Glass vials fitted with velvet corks for leading lymph rimless 1" × ¼" round bottom to withstand repeated sterilisation.	400 gross
7	Test tubes with rim. 2" × ¾" resistant glass to withstand repeated sterilization.	6 gross
8	Measuring Cylinder. With glass stoppered capacity 500 c. c.	1 only
9	Thermometer. 2200 c. for Hot air sterilizer ...	2
10	Glass funnels, 6" diameter ...	6
	Do do 4" do ...	6
	Do do 2" do ...	6
11	Spirit Lamp (glass) 12 cz. capacity ...	6
	Do 6 ,, ,, ...	6
	Do 4 ,, ,, ...	6
12	Dust-proof bottles. Narrow mouth—clear glass 16 cz. capacity.	1 doz.
13	Pippets, glass. Graduated BTL. cat. WSD-5111-page 221 10 c. c. capacity.	1 ,,
14	Spoons. Heavy glass, Table spoon, BTL 1028 page 604. No. C 5280 Vol. I.	1 ,,
15	Glass Basins. Strong with covers ground to fit external diameter 3½" BTL. 1923 Vol. III page 167 No. B. 1421.	6 only
16	Glass Basins ,, 2½" diameter ...	6 only

N.B.—1. Quotations with firm prices are preferred.
2. Sales-Tax should be quoted separately.
3. Quotations will be opened at 12 NOON on the working day, after the closing date.

8306

Dated 18th January 1951.

Statement of orders placed by the Stores Purchase Committee both in India and Foreign Countries during the week ending 6th January 1951.

Sl. No.	Enquiry No.	Local Indent	Date	Department	Description of articles	Name of the firm	Amount Rs. a. p.
1	10,055	10,874	2nd January 1951 ...	Special Chief Engineer in Mysore, Bangalore.	Ambulance Van ...	Addison and Co., 24 St. Market Road, Bangalore.	14,905 0 0
2	10,311	10,875	3rd January 1951 ...	Principal, Central College.	Impendence bridged and Refractometer.	(1) Dikson & Brothers, S.N. Road, Bangalore. (2) Scientific Instrument Co., Ltd., Madras.	3,415 0 0
3	10,166	10,876	Do ...	Government Porcelain Factory, Bangalore.	Alluminium Medien and Allumina Paste.	Robert Inghami Clarke & Company, Madras.	840 0 0
4	10,184	10,877	Do ...	District Educational Officer, Bangalore.	Singer. Sewing Machine	Singer Sewing Machine & Company, Madras	525 0 0
5	10,193	10,878	4th January 1951 ...	Government Departments.	Supply of Dominion Flags.	Sri Magajee Neelakanta Shujee, Bangalore 2.	Annual rate Contract.
6	10,026	10,879	6th January 1951 ...	Medical Departments	Medicines and Drugs	Several Firms ...	4,17,250 0 0
7	...	10,880	Do ...	The Principal, S.K.S. J. Technological Institute.	Drop Box attachments	W. H. Brady & Co., Royal Buildings, Bombay.	700 0 0
						Grand Total ...	4,37,635 0 0
8	10,023	3,946	2nd January 1951 ...	Electrical Departments	Suspension Disc Insulators.	Kamani Engineering Corporation Ltd., Bombay.	1,77,500 0 0
9	7,02,906	3,947	3rd January 1951 ...	Do ...	Spare Coils for damaged P. C Set.	Associated Electrical Industries (India), Bangalore.	36,000 0 0
10	9,902	3,948	6th January 1951 ...	Do ...	Transformers ...	National Electrical Industries & Co., Bombay.	28,800 0 0
						Grand Total ...	42,42 300 0 0

LOUIS DE SOUZA,
Secy., S.P.C.

8285

6 G